In the Claims

This listing of claims will replace all prior versions and listings of claims in the application.

Listing of claims

1. (currently amended) A compound of formula I, a pharmaceutically acceptable salt thereof, diastereomers, enantiomers, or mixtures thereof:



I

wherein

R^1 and R^3 are, independently, selected from hydrogen, C_{1-6}alkyl, and C_{3-6}cycloalkyl, wherein said C_{1-6}alkyl and C_{3-6}cycloalkyl are optionally substituted with one or more groups selected from -R, -NO_2, -OR, -Cl, -Br, -I, -F, -CF_3, -C(=O)R, -C(=O)OH, -NH_2, -SH, -NHR, -NR_2, -SR, -SO_3H, -SO_2R, -S(=O)R, -CN, -OH, -C(=O)OR, -C(=O)NR_2, -NRC(=O)R, and -NRC(=O)-OR, wherein R is, independently, a hydrogen or C_{1-6}alkyl; and

R^2 is ~~selected from~~ C_{1-6}alkyl, C_{2-6}alkenyl, C_{3-6}cycloalkyl, ~~and~~ or C_{3-6}cycloalkyl-C_{1-4}alkyl, wherein said C_{1-6}alkyl, C_{2-6}alkenyl, C_{3-6}cycloalkyl, and C_{3-6}cycloalkyl-C_{1-4}alkyl are optionally substituted with one or more groups selected from -R, -NO_2, -OR, -Cl, -Br, -I, -F, -CF_3, -C(=O)R, -C(=O)OH, -NH_2, -SH, -NHR, -NR_2, -SR, -SO_3H, -SO_2R, -S(=O)R, -CN, -OH, -C(=O)OR, -C(=O)NR_2, -NRC(=O)R, and -NRC(=O)-OR, wherein R is, independently, a hydrogen, C_{3-6}cycloalkyl or C_{1-6}alkyl.

2. (currently amended) A compound according to claim 1,

wherein R^1 is C_{1-3}alkyl;

R^3 is hydrogen; and

R^2 is ~~selected from~~ C_{1-6}alkyl ~~and~~ or C_{3-6}cycloalkyl-methyl, wherein said C_{1-6}alkyl and C_{3-6}cycloalkyl-methyl are optionally substituted with one or more groups selected from methoxy, ethoxy and isopropoxy.

3. (currently amended) A compound according to claim 1,

wherein R^1 is ~~selected from~~ C_{1-3}alkyl or ~~and~~ halogenated C_{1-3}alkyl;

R^3 is ~~selected from~~ hydrogen, C_{1-6}alkyl, ~~and~~ or C_{3-5}cycloalkyl, wherein said C_{1-6}alkyl and C_{3-6}cycloalkyl are optionally substituted with one or more groups selected from C_{1-6}alkyl, halogenated C_{1-6}alkyl, $-NO_2$, $-CF_3$, C_{1-6} alkoxy, chloro, fluoro, bromo, and iodo; and

R^2 is ~~selected from~~ C_{1-6}alkyl, C_{3-5}cycloalkyl ~~and~~ or C_{3-6}cycloalkyl-methyl, wherein said C_{1-6}alkyl, C_{3-6}cycloalkyl and C_{3-6}cycloalkyl-methyl are optionally substituted with one or more groups selected from C_{1-6}alkyl, halogenated C_{1-6}alkyl, $-CF_3$, C_{1-6}alkoxy, chloro, fluoro and bromo.

4. (currently amended) A compound according to claim 1,

wherein R^1 is ~~selected from~~ methyl or ~~and~~ ethyl;

R^3 is hydrogen; and

R^2 is ~~selected from~~ n-propyl, cyclopropylmethyl, n-pentyl, 2-methoxyethyl, n-butyl, 2-isopropoxyethyl, 2-ethoxyethyl, 3-methoxypropyl, cyclobutylmethyl, methyl, ~~and~~ or ethyl.

5. (currently amended) A compound according to claim 1, wherein the compound is selected from:

COMPOUND 1: methyl [3-[[4-[(diethylamino)carbonyl]phenyl](1-propyl-4-piperidinylidene)methyl]phenyl]carbamate;

COMPOUND 2: methyl [3-[[1-(cyclopropylmethyl)-4-piperidinylidene][4-[(diethylamino)carbonyl]phenyl]methyl]phenyl]carbamate;

COMPOUND 3: methyl [3-[[4-[(diethylamino)carbonyl]phenyl](1-pentyl-4-piperidinylidene)methyl]phenyl]carbamate;

COMPOUND 4: ethyl [3-[[4-[(diethylamino)carbonyl]phenyl](1-propyl-4-piperidinylidene)methyl]phenyl]carbamate;

COMPOUND 5: ethyl [3-[[4-[(diethylamino)carbonyl]phenyl][1-(2-methoxyethyl)-4-piperidinylidene]methyl]phenyl]carbamate;

COMPOUND 6: ethyl [3-[(1-butyl-4-piperidinylidene)[4-[(diethylamino)carbonyl]phenyl]methyl]phenyl]carbamate;

COMPOUND 7: [3-[[4-[(diethylamino)carbonyl]phenyl][1-[2-(1-methylethoxy)ethyl]-4-piperidinylidene]methyl]phenyl]- carbamic acid, methyl ester;
COMPOUND 8: [3-[[4-[(diethylamino)carbonyl]phenyl][1-(2-ethoxyethyl)-4-piperidinylidene]methyl]phenyl]- carbamic acid, methyl ester;
COMPOUND 9: methyl 3-((1-butylpiperidin-4-ylidene){4-[(diethylamino)carbonyl]phenyl}methyl)phenylcarbamate;
COMPOUND 10: methyl 3-{{4-[(diethylamino)carbonyl]phenyl}{1-(3-methoxypropyl)piperidin-4-ylidene]methyl}phenylcarbamate;
COMPOUND 11: methyl 3-([1-(cyclobutylmethyl)piperidin-4-ylidene]{4-[(diethylamino)carbonyl]phenyl}methyl)phenylcarbamate;
COMPOUND 12: methyl 3-[{4-[(diethylamino)carbonyl]phenyl}(1-methylpiperidin-4-ylidene)methyl]phenylcarbamate;
COMPOUND 13: methyl 3-[{4-[(diethylamino)carbonyl]phenyl}(1-ethylpiperidin-4-ylidene)methyl]phenylcarbamate;
COMPOUND 14: ethyl 3-([1-(cyclopropylmethyl)piperidin-4-ylidene]{4-[(diethylamino)carbonyl]phenyl}methyl)phenylcarbamate;
COMPOUND 15: ethyl {3-[{4-[(diethylamino)carbonyl]phenyl}(1-methylpiperidin-4-ylidene)methyl]phenyl}carbamate;
COMPOUND 16: ethyl {3-[[4-(aminocarbonyl)phenyl](1-ethylpiperidin-4-ylidene)methyl]phenyl}carbamate; and
COMPOUND 17: [3-[[4-[(diethylamino)carbonyl]phenyl][1-(2-methoxyethyl)-4-piperidinylidene]methyl]phenyl]- carbamic acid, methyl ester;
and pharmaceutically acceptable salts thereof.

Claims 6-7 (cancelled).

8. (currently amended) A pharmaceutical composition comprising a compound according to claims 1 and a pharmaceutically acceptable carrier.

9. (withdrawn) A method for the therapy of pain in a warm-blooded animal, comprising the step of administering to said animal in need of such therapy a therapeutically effective amount of a compound according to claims 1.

10. (withdrawn) A method for the therapy of functional gastrointestinal disorders in a warm-blooded animal, comprising the step of administering to said animal in need of such therapy a therapeutically effective amount of a compound according to claim 1.

11. (withdrawn) A process for preparing a compound of formula I, comprising:



I

reacting a compound of formula II with R^2-X:



II

wherein X is halogen;

R^1 and R^3 are, independently, selected from hydrogen, C_{1-6}alkyl, and C_{3-6}cycloalkyl, wherein said C_{1-6}alkyl and C_{3-6}cycloalkyl are optionally substituted with one or more groups selected from -R, $-NO_2$, -OR, -Cl, -Br, -I, -F, $-CF_3$, -C(=O)R, -C(=O)OH, $-NH_2$, -SH, -NHR, $-NR_2$, -SR, $-SO_3H$, $-SO_2R$, -S(=O)R, -CN, -OH, -C(=O)OR, $-C(=O)NR_2$, -NRC(=O)R, and -NRC(=O)-OR, wherein R is, independently, a hydrogen or C_{1-6}alkyl; and

R^2 is selected from C_{1-6}alkyl, C_{2-6}alkenyl, C_{3-6}cycloalkyl, and C_{3-6}cycloalkyl-C_{1-4}alkyl, wherein said C_{1-6}alkyl, C_{2-6}alkenyl, C_{3-6}cycloalkyl, and C_{3-6}cycloalkyl-C_{1-4}alkyl are optionally

substituted with one or more groups selected from -R, -NO_2, -OR, -Cl, -Br, -I, -F, -CF_3, -C(=O)R, -C(=O)OH, -NH_2, -SH, -NHR, -NR_2, -SR, -SO_3H, -SO_2R, -S(=O)R, -CN, -OH, -C(=O)OR, -C(=O)NR_2, -NRC(=O)R, and -NRC(=O)-OR, wherein R is, independently, a hydrogen or C_{1-6}alkyl.

12. (withdrawn) A process for preparing a compound of formula III, comprising:



III

reacting a compound of formula II with R^4-CHO:



II

wherein R^1 and R^3 are, independently, selected from hydrogen, C_{1-6}alkyl, and C_{3-6}cycloalkyl, wherein said C_{1-6}alkyl and C_{3-6}cycloalkyl are optionally substituted with one or more groups selected from -R, -NO_2, -OR, -Cl, -Br, -I, -F, -CF_3, -C(=O)R, -C(=O)OH, -NH_2, -SH, -NHR, -NR_2, -SR, -SO_3H, -SO_2R, -S(=O)R, -CN, -OH, -C(=O)OR, -C(=O)NR_2, -NRC(=O)R, and -NRC(=O)-OR, wherein R is, independently, a hydrogen or C_{1-6}alkyl; and

R^4 is selected from C_{1-6}alkyl, C_{2-6}alkenyl, C_{3-6}cycloalkyl, and C_{3-6}cycloalkyl-C_{1-4}alkyl, wherein said C_{1-6}alkyl, C_{2-6}alkenyl, C_{3-6}cycloalkyl, and C_{3-6}cycloalkyl-C_{1-4}alkyl are optionally

substituted with one or more groups selected from -R, -NO_2, -OR, -Cl, -Br, -I, -F, -CF_3, -C(=O)R, -C(=O)OH, -NH_2, -SH, -NHR, -NR_2, -SR, -SO_3H, -SO_2R, -S(=O)R, -CN, -OH, -C(=O)OR, -C(=O)NR_2, -NRC(=O)R, and -NRC(=O)-OR, wherein R is, independently, a hydrogen or C_{1-6}alkyl.

13. (withdrawn) A process for preparing a compound of formula I, comprising:



I

reacting a compound of formula IV with R^1O-C(=O)-X:



IV

wherein X is halogen;

R^1 and R^3 are, independently, selected from hydrogen, C_{1-6}alkyl, and C_{3-6}cycloalkyl, wherein said C_{1-6}alkyl and C_{3-6}cycloalkyl are optionally substituted with one or more groups selected from -R, -NO_2, -OR, -Cl, -Br, -I, -F, -CF_3, -C(=O)R, -C(=O)OH, -NH_2, -SH, -NHR, -NR_2, -SR, -SO_3H, -SO_2R, -S(=O)R, -CN, -OH, -C(=O)OR, -C(=O)NR_2, -NRC(=O)R, and -NRC(=O)-OR, wherein R is, independently, a hydrogen or C_{1-6}alkyl; and

R^2 is selected from C_{1-6}alkyl, C_{2-6}alkenyl, C_{3-6}cycloalkyl, and C_{3-6}cycloalkyl-C_{1-4}alkyl, wherein said C_{1-6}alkyl, C_{2-6}alkenyl, C_{3-6}cycloalkyl, and C_{3-6}cycloalkyl-C_{1-4}alkyl are optionally substituted with one or more groups selected from -R, $-NO_2$, -OR, -Cl, -Br, -I, -F, $-CF_3$, -C(=O)R, -C(=O)OH, $-NH_2$, -SH, -NHR, $-NR_2$, -SR, $-SO_3H$, $-SO_2R$, -S(=O)R, -CN, -OH, -C(=O)OR, -C(=O)NR_2, -NRC(=O)R, and -NRC(=O)-OR, wherein R is, independently, a hydrogen or C_{1-6}alkyl.

Claims 14-16. (cancelled)

17. (currently amended) A compound according to claim 1, wherein the compound is selected from:

[3-[[4-[(diethylamino)carbonyl]phenyl][1-(2-ethoxyethyl)-4-piperidinylidene]methyl]phenyl]-carbamic acid, methyl ester;

methyl 3-{[4-[(diethylamino)carbonyl]phenyl}[1-(3-methoxypropyl)piperidin-4-ylidene]methyl}phenylcarbamate; and

[3-[[4-[(diethylamino)carbonyl]phenyl][1-(2-methoxyethyl)-4-piperidinylidene]methyl]phenyl]-carbamic acid, methyl ester; and pharmaceutically acceptable salts thereof.

18. (currently amended) A compound of formula I or pharmaceutically acceptable salts thereof,



I

wherein R^3 is hydrogen, R^1 is ~~selected from~~ methyl or ~~and~~ ethyl; and R^2 is C_{1-3}alkoxy-C_{1-4}alkyl.

19. (withdrawn) A method for the therapy of anxiety in a warm-blooded animal, comprising the step of administering to said animal in need of such therapy a therapeutically effective amount of a compound according to claim 1.